

## VIBRATING TABLES

### Models

- TVC 1500

- TVC 2000

- TVL 3500

### TVC 1500 and TVC 2000

TVC 1500-TVC 2000 vibrating tables are used for grape reception and sorting lines, before destemming machines and selection belts, in order to distribute homogeneously the grapes on the machines and following systems. Moreover they allow to separate the juice from the grapes and eject small size foreign bodies.

### TVL 3500

TVL 3500 vibrating table is used for grapes reception and sorting lines, in order to sort the grapes with an operator's help after or before the destemming. During feed it carries out a separation of the juice and unripe or dry berries which cross the grid and are collected in a pan below. The workers will finish the manual sorting to allow the following processing. TVL 3500 sorting table is conceived for 6 persons approx.


### Technical description

The vibrating tables are made of AISI 304 stainless steel and equipped with two eccentric mass electrical vibrators. They are equipped with an interchangeable selection and dejuicing grid, a juice collecting pan is installed to the frame. The standard vibrating table includes a magnetothermic switch with start-stop selector and variable speed electronic drive with Inverter.


OPTIONS	TVC 1500	TVC 2000	TVL 3500
Support for manual boxes discharge	●	●	●
Oversize hopper for 400 kg bins, four swivel wheels and supporting frame	●	●	●
Inverter for feed speed adjustment	●	standard	standard
Additional grid with different distance between the bars	●	●	●

● available


## Drawing for TVC 1500



## Drawing for TVL 3500 and TVL 5000



## Drawing for TVL 3500



TECHNICAL DATA	TVC 1500	TVC 2000	TVL 3500
Installed power (kW)	0,6	1,3	1,3
Juice pan capacity (lt)	--	--	80